## Smart5Grid

Demonstration of 5G solutions for SMART energy GRIDs of the future

### https://smart5grid.eu/






**Disclaimer**: This presentation reflects the Smart5Grid consortium view and the European Commission (or its delegated Agency INEA) is not responsible for any use that may be made of the information it contains

# Smart5Grid NetApps





## Smart Grid Transition

The **Smart5Grid platform** will embrace DevOps practices and leverage the latest NFV, MEC and Slicing technologies to allow developers to validate 5G enabled **NetApps** specifically designed for energy focused scenarios. The validated NetApps will then be made available on **an Open Service Repository** for discovery, inspection and consumption by 3<sup>rd</sup> parties.

# Smart5Grid NetApps



Termination

·Services shut-


Liberation of

resources

down



- **1. Development:** according to Smart5Grid NetApp convention
- 2. Verification: Syntax, Integrity and Topology
- 3. Validation:
  - 1. unitary tests on a staging environment,
  - 2. deployment and instantiation on the smart5Grid Telecom infrastructure.
  - 3. If validation fails, the NetApp will go back to the development phase.
- **4. Publication:** published in the Smart5Grid OSR if the owner wish so.



Edge Access

# Communication needs for smart grids applications Smart 5 Grid



- Increased **automation** and digitalization in decision making process;
- Tighter coupling between generation and consumption of electricity due to large number of smaller power generating units distributed across wide areas of the grid;
- Lack of grid **observability**, especially below the power substations;
- Fusing large-scale of data gathered from different type of sensors and advanced measurement units.



## **Smart5Grid Pilots**



#### Italian Pilot (Olbia)

Automatic power distribution grid fault detection

Exploit edge computing capabilities of 5G to ensure URLL and guaranteed QoS for the communication layer of the grid automation system, including cybersecurity.

Use of 5G private network communication and edge processing power for Al-based fast image and UWB sensors data analysis to ensure safety of maintenance workers in HV substations

#### Spanish Pilot (Barcelona)

Remote inspection of automatically delimited working areas at distribution level

#### **Bulgarian Pilot (Slaven)**

Millisecond level precision distributed generation monitoring

Exploit machine type communication and edge computing capabilities of 5G to facilitate integration of IoT based sensors and measurement units for enhanced monitoring and control of distributed RES.

Demonstrate cooperation of two Telecommunication Providers to offer a cross-border 5G network, fulfilling the reliability and latency constraints of a virtual phasor data concentrator (VPDC).

#### **Greek - Bulgarian Pilot**

Real-time wide area monitoring

## **Consortium Composition**

24 partners, 2 Linked Third-parties, 13 SMEs



Coordinator









Universities/Research institutions



**Tech Companies** 







**TSOs** 





**DSOs** 

**e**-distribuzione **C**-distribución

**ಶЕСО ЕАД** 👺 αδμηε





**SMEs** 

























(Linked third-parties of Enel GI&N)



# Thank you!

**Rita Santiago** R&I Manager

rsantiago@ubiwhere.com