

Smart5Grid project

Real-Time Wide Area Monitoring

Dimitrios Brodimas (d.brodimas@admie.gr)

UC Leader



Demonstration of 5G solutions for
SMART energy GRIDs of the future





This project has received funding from
the European Union's *Horizon 2020*
research and innovation programme
under grant agreement n° 101016912



Business Goals

Real-time Wide Area Monitoring



Objective

Real-time Wide Area Monitoring



Creation of Wide Area Monitoring tool




virtual Phasor Data Concentrator (vPDC)




Phasor Measurement Units (PMUs)



5G communication network



Synchrophasors




Phasor Measurement Units

- Measure phasors of:
 - Voltage Phasors
 - Current Phasors
- Timestamp the measurements
- Compute the Frequency
- C37.118 & C37.244


★: PDC delay

Synchrophasors



Advantage vs. Legacy Solutions

Real-time Wide Area Monitoring



Impacted 5G-PPP KPIs


Real-time Wide Area Monitoring



KPIs – Requirements	Values
Reliability	99.999 %
Availability	99.999 %
E2E Latency	40ms-160ms
vPDC absolute wait time	40ms
Bandwidth	699-1500 kbps/node
Security	High

High-level Architecture

Real-time Wide Area Monitoring



UC's Network Apps

Real-time Wide Area Monitoring



vPDC

vPDC is responsible for aggregation and synchronization of the data provided by the PMUs placed in the surrounding area between Greece and Bulgaria. The C37.244 protocol describing the functionalities of PDCs will be followed.

Monitoring Service


Monitoring service is responsible to present several status indicators and visualization features of the PMUs such as nominal grid frequency [Hz] , measurements reporting speed [fps] or phase diagram of voltage and current vectors.


Advisory Service

Advisory service will propose remedial actions for the real-time operation at both TSOs and ex-post analysis provision in case of a severe event occurrences in the grid.

Network Setup

Real-time Wide Area Monitoring





GPS

Gateway



PMU



Gateway

PMU


PoE

Target markets & opportunities

Real-time Wide Area Monitoring



Target market: The proposed solution is strongly correlated with the energy market due to the use of PMUs. So, the customers that this solution applies to are TSOs, DSOs and Regional Security Coordinators.



Opportunity: The opportunity lays on the provision of a framework that enables fast fault detection at the edge, ensuring grid's stability and ceaseless operation.

Thank you

Questions?